

SECTION 1. IDENTIFICATION**Product identifier used on the label**: **GUNK FOAMING GLASS CLEANER - STREAK FREE****Product Code(s)** : GC1, GC1C**Recommended use of the chemical and restrictions on use**: Automotive - Glass Cleaner.
Restrictions on use: Not available.**Chemical family** : Mixture of: Alcohol; Glycol ether solvent; Propellant**Manufacturer/Importer/Supplier/Distributor information**

| | | |
|-------------------------------|---|----------------|
| Company name | Blumenthal Brands Integrated, LLC | |
| Address | 600 Radiator Road Indian Trail, NC 28079 | |
| Telephone | Customer Service/Technical | (704) 484-7643 |
| Website | www.solvewithB.com | |
| E-mail | sds@solvewithB.com | |
| Emergency phone number | INFOTRAC (United States) | (800) 535-5053 |
| | INFOTRAC (International) | (352) 323-3500 |

SECTION 2. HAZARDS IDENTIFICATION**Classification of the chemical**

Clear liquid, contained in a pressurized aerosol can.

Most important hazards:

Contents under pressure. Container may explode if heated.

Occupational exposure to the substance or mixture may cause adverse effects. For further information, please refer to section 11 of the SDS.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Avoid release to the environment. See Section 12 for more environmental information.

This product is packaged and sold as a consumer product. The Hazardous Products Act (HPA) does not apply to consumer products [Hazardous Products Act Section 12(j)]. The below WHMIS 2015 classification and labeling information is being provided for informational purposes.

This material is classified as hazardous under Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).
Classification:

Gases under pressure - Liquefied gas

Label elements*Hazard pictogram(s)**Signal Word*

WARNING!

Hazard statement(s)

Contains gas under pressure; may explode if heated.

Precautionary statement(s)

Protect from sunlight. Store in a well-ventilated place.

Other hazards*Other hazards which do not result in classification:*

Toxic fumes may be released during a fire. May be slightly irritating to eyes, skin and other contaminated tissue. Mild respiratory irritant. In extremely high concentrations, may cause symptoms of central nervous system depression. May cause gastrointestinal irritation. Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

SAFETY DATA SHEET

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| <u>Chemical name</u> | <u>Common name and synonyms</u> | <u>CAS #</u> | <u>Concentration (% by weight)</u> |
|-----------------------------------|--|--------------|------------------------------------|
| Isopropyl alcohol | Isopropanol 2-Propanol | 67-63-0 | 1.0 - 5.0 |
| Diethylene glycol monobutyl ether | 2-(2-Butoxyethoxy)ethanol DEGBE | 112-34-5 | 1.0 - 5.0 |
| Propane | Dimethylmethane Propyl hydride | 74-98-6 | 1.0 - 5.0 |
| Butane | n-Butane Butyl hydride Methylethylethane | 106-97-8 | 1.0 - 5.0 |

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : If ingested, do not induce vomiting. Never give anything by mouth to an unconscious person. If irritation or symptoms develop, seek medical attention.
- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing stops, provide artificial respiration. If irritation or symptoms develop, seek medical attention.
- Skin contact* : In case of contact with skin, wash with mild soap and plenty of water. If irritation or symptoms develop, seek medical attention. Launder clothing before reuse.
- Eye contact* : Rinse thoroughly with plenty of water, also under the eyelids. If irritation or symptoms develop, seek medical attention.

Most important symptoms and effects, both acute and delayed

- : May be slightly irritating to eyes, skin and other contaminated tissue. Direct skin contact may cause temporary redness. Direct eye contact may cause slight redness. Mild respiratory irritant. May cause coughing and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

Indication of any immediate medical attention and special treatment needed

- : Provide general supportive measures and treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

- : Carbon dioxide (CO₂); Dry chemical; Alcohol resistant foam; Water fog

Unsuitable extinguishing media

- : Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Not considered flammable. This product is contained under pressure, and could explode when exposed to heat and flame. Toxic fumes, gases or vapours may evolve on burning.

Hazardous combustion products

- : Carbon oxides; Other unidentified organic compounds.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

SAFETY DATA SHEET

Special fire-fighting procedures

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Shield personnel to protect from venting or rupturing containers. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Wear appropriate protective equipment. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains, sewers, waterways and soil.

Methods and material for containment and cleaning up

- : Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. For spilled liquids: absorb spill with inert, non-combustible material such as sand, then place into suitable containers. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities. . Refer to Section 13 for disposal of contaminated material.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Use with adequate ventilation. Wear suitable protective equipment during handling. Avoid breathing fumes, mists or vapors. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Do not pierce or burn, even after use. Keep away from incompatibles. Always replace cap after use. Wash thoroughly after handling.

Conditions for safe storage : Store in cool/well-ventilated place. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F. Keep away from incompatibles.

Incompatible materials : Strong oxidizing agents; Strong acids; Strong bases

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

| <u>Chemical Name</u> | <u>ACGIH TLV</u> | | <u>OSHA PEL</u> | |
|-----------------------------------|--------------------------------|-------------|------------------------------------|-------------|
| | <u>TWA</u> | <u>STEL</u> | <u>PEL</u> | <u>STEL</u> |
| Isopropyl alcohol | 200 ppm | 400 ppm | 400 ppm (980 mg/m ³) | N/Av |
| Diethylene glycol monobutyl ether | 10 ppm (inhalable) (vapour) | N/Av | N/Av | N/Av |
| Propane | N/Av | N/Av | 1000 ppm (1800 mg/m ³) | N/Av |
| Butane | 1000 ppm (Butane, all isomers) | N/Av | 800 ppm (final rule limit) | N/Av |

Exposure controls

Ventilation and engineering measures

- : Provide adequate ventilation. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection

- : If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Refer to CSA Z94.3 or other appropriate standards. Advice should be sought from respiratory protection specialists.

SAFETY DATA SHEET

- Skin protection** : Gloves impervious to the material are recommended. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Wear sufficient clothing to prevent skin contact.
- Eye / face protection** : Wear as appropriate: Tightly fitting safety goggles; Safety glasses with side shields.
- Other protective equipment** : Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.
- General hygiene considerations** : Avoid breathing fumes, mists or vapors. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Clear liquid, contained in a pressurized aerosol can.
- Odour** : N/Av
- Odour threshold** : N/Av
- pH** : N/Av
- Melting/Freezing point** : N/Av
- Initial boiling point and boiling range** : N/Av
- Flash point** : N/Av
- Flashpoint (Method)** : N/Av
- Evaporation rate (BuAe = 1)** : N/Av
- Flammability (solid, gas)** : Not applicable.
- Lower flammable limit (% by vol.)** : N/Av
- Upper flammable limit (% by vol.)** : N/Av
- Oxidizing properties** : No oxidizing properties.
- Explosive properties** : Aerosols are sensitive to mechanical impact. Closed containers are contained under pressure and may explode if exposed to excess heat for a prolonged period of time.
- Vapour pressure** : N/Av
- Vapour density** : N/Av
- Relative density / Specific gravity** : Relative density: N/Av
Specific Gravity: N/Av
- Solubility in water** : N/Av
- Other solubility(ies)** : N/Av
- Partition coefficient: n-octanol/water or Coefficient of water/oil distribution** : N/Av
- Auto-ignition temperature** : N/Av
- Decomposition temperature** : N/Av
- Viscosity** : N/Av
- Volatiles (% by weight)** : N/Av
- Volatile organic Compounds (VOC's)** : N/Av
- Absolute pressure of container** : N/Av
- Flame projection length** : None.
- Other physical/chemical comments** : Flashback Observed: NO
Heat of combustion: 3.43 kJ/g

SECTION 10. STABILITY AND REACTIVITY

- Reactivity** : Not normally reactive.
- Chemical stability** : Stable under normal conditions.
- Possibility of hazardous reactions** : Hazardous polymerization does not occur.

SAFETY DATA SHEET

- Conditions to avoid** : Direct sources of heat. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials. Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.
- Incompatible materials** : Strong oxidizing agents; Strong acids; Strong bases
- Hazardous decomposition products**
- : Not available.
 - Refer also to hazardous combustion products, Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

- Routes of entry inhalation** : YES
- Routes of entry skin & eye** : YES
- Routes of entry Ingestion** : YES
- Routes of exposure skin absorption**
- : NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

- : Mild respiratory irritant. May cause coughing and breathing difficulties. If higher concentrations are inhaled, additional symptoms may include headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. In extremely high concentrations, product may act as an asphyxiant and cause increased breathing and pulse rates, fatigue and unconsciousness.

Sign and symptoms ingestion

- : Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Sign and symptoms skin

- : May cause mild skin irritation. Direct skin contact may cause temporary redness. May be absorbed through the skin. If product is sprayed directly on skin, symptoms of frostbite may be experienced including numbness, prickling and itching.

Sign and symptoms eyes

- : Direct eye contact may cause slight or mild, transient irritation. Direct eye contact may cause slight redness.

Potential Chronic Health Effects

- : Prolonged or repeated skin contact may cause drying and irritation. Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

Mutagenicity

- : No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

- : Not classifiable as a human carcinogen. No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

- : This product is not expected to cause reproductive or developmental effects.

Sensitization to material

- : No data available to indicate product or components may be skin sensitizers. No data available to indicate product or components may be respiratory sensitizers.

Specific target organ effects

- : According to the classification criteria of Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause specific target organ toxicity (STOT) through single or repeated exposures.

Medical conditions aggravated by overexposure

- : Pre-existing skin, eye, respiratory and central nervous system disorders.

Synergistic materials

- : None known or reported by the manufacturer.

SAFETY DATA SHEET

Toxicological data : Not classified for acute toxicity based on available data. No data is available on the product itself. The calculated ATE values for this mixture are:
 ATE oral = > 94,400 mg/kg
 ATE dermal = > 40,000 mg/kg
 ATE inhalation (vapours) = > 217.5 mg/L/4H
 See below for individual ingredient acute toxicity data.

| <u>Chemical name</u> | <u>LC₅₀ (4hr)</u> <u>inh, rat</u> | <u>LD₅₀</u> | |
|-----------------------------------|---|------------------------|-------------------------|
| | | <u>(Oral, rat)</u> | <u>(Rabbit, dermal)</u> |
| Isopropyl alcohol | 17 000 ppm (41.8 mg/L) (vapour) | 4720 mg/kg | 12 890 mg/kg |
| Diethylene glycol monobutyl ether | N/Av | 6560 mg/kg | 2764 mg/kg |
| Propane | N/Av | N/Av (gas) | N/Av (gas) |
| Butane | 276 000 ppm | N/Av (gas) | N/Av (gas) |

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity : No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

| <u>Ingredients</u> | <u>CAS No</u> | <u>Toxicity to Fish</u> | | |
|-----------------------------------|---------------|------------------------------|----------------------|-----------------|
| | | <u>LC₅₀ / 96h</u> | <u>NOEC / 21 day</u> | <u>M Factor</u> |
| Isopropyl alcohol | 67-63-0 | 9640 mg/L (Fathead minnow) | N/Av | None. |
| Diethylene glycol monobutyl ether | 112-34-5 | 1300 mg/L (Bluegill sunfish) | N/Av | None. |
| Propane | 74-98-6 | N/Av | N/Av | N/Av |
| Butane | 106-97-8 | N/Av | N/Av | N/Av |

| <u>Ingredients</u> | <u>CAS No</u> | <u>Toxicity to Daphnia</u> | | |
|-----------------------------------|---------------|------------------------------------|----------------------|-----------------|
| | | <u>EC₅₀ / 48h</u> | <u>NOEC / 21 day</u> | <u>M Factor</u> |
| Isopropyl alcohol | 67-63-0 | > 10 000 mg/L/24hr (Daphnia magna) | 30 mg/L | None. |
| Diethylene glycol monobutyl ether | 112-34-5 | > 100 mg/L (Daphnia magna) | N/Av | None. |
| Propane | 74-98-6 | N/Av | N/Av | N/Av |
| Butane | 106-97-8 | N/Av | N/Av | N/Av |

| <u>Ingredients</u> | <u>CAS No</u> | <u>Toxicity to Algae</u> | | |
|-----------------------------------|---------------|-------------------------------------|--------------------------|-----------------|
| | | <u>EC₅₀ / 96h or 72h</u> | <u>NOEC / 96h or 72h</u> | <u>M Factor</u> |
| Isopropyl alcohol | 67-63-0 | N/Av | N/Av | None. |
| Diethylene glycol monobutyl ether | 112-34-5 | > 100 mg/L/96hr (Green algae) | ≥ 100 mg/L/96hr | None. |
| Propane | 74-98-6 | N/Av | N/Av | N/Av |
| Butane | 106-97-8 | N/Av | N/Av | N/Av |

SAFETY DATA SHEET

Persistence and degradability

- : The product itself has not been tested.
The following ingredients are considered to be readily biodegradable: Isopropyl alcohol; Diethylene glycol monobutyl ether.

Bioaccumulation potential

- : The product itself has not been tested. See the following data for ingredient information.

| <u>Components</u> | <u>Partition coefficient n-octanol/water (log Kow)</u> | <u>Bioconcentration factor (BCF)</u> |
|--|--|--------------------------------------|
| Isopropyl alcohol (CAS 67-63-0) | 0.05 | 1.0 |
| Diethylene glycol monobutyl ether (CAS 112-34-5) | 1.0 | 3.0 |
| Butane (CAS 106-97-8) | 2.89 (estimated) | 33 (estimated) |

Mobility in soil : The product itself has not been tested.

Other Adverse Environmental effects

- : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13. DISPOSAL CONSIDERATIONS


Handling for Disposal

- : Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.
This material and its container must be disposed of in a safe way. Empty containers retain residue and can be dangerous. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Methods of Disposal

- : Dispose of in accordance with federal, provincial and local hazardous waste laws.

SECTION 14. TRANSPORT INFORMATION

| Regulatory Information | UN Number | UN proper shipping name | Transport hazard class(es) | Packing Group | Label |
|-----------------------------------|---|--------------------------------|-----------------------------------|----------------------|---|
| TDG | UN1950 | AEROSOLS | 2.2 | None |  |
| TDG Additional information | May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. Under the TDG, refer to Section 1.17 for additional exemption requirements, if shipping under this exemption. | | | | |

Special precautions for user : Appropriate advice on safety must accompany the package. Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- : Not applicable.

SECTION 15 - REGULATORY INFORMATION

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian National Pollutant Release Inventory (NPRI): This product contains the following substances listed on the NPRI:

- Isopropyl alcohol (Part 1, Group A Substance; Part 5: Individual Substances)
- Diethylene glycol monobutyl ether (Part 5: Other groups and mixtures)
- Propane (Part 5: Individual Substances)

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

SAFETY DATA SHEET

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

International Information:

Components listed below are present on the following International Inventory list:

| <u>Ingredients</u> | <u>CAS #</u> | <u>European EINECS</u> | <u>Australia AICS</u> | <u>Philippines PICCS</u> | <u>Japan ENCS</u> | <u>Korea KECI/KECL</u> | <u>China IECSC</u> | <u>New Zealand IOC</u> |
|-----------------------------------|--------------|------------------------|-----------------------|--------------------------|-------------------|------------------------|--------------------|------------------------|
| Isopropyl alcohol | 67-63-0 | 200-661-7 | Present | Present | (2)-207 | KE-29363 | Present | HSR001180 |
| Diethylene glycol monobutyl ether | 112-34-5 | 203-961-6 | Present | Present | (7)-97; (2)-422 | KE-10466 | Present | HSR001075 |
| Propane | 74-98-6 | 200-827-9 | Present | Present | (2)-3 | KE-29258 | Present | HSR001010 |
| Butane | 106-97-8 | 203-448-7 | Present | Present | (2)-4 | KE-03751 | Present | HSR000989 |

SECTION 16. OTHER INFORMATION**Legend**

: ACGIH: American Conference of Governmental Industrial Hygienists
 AICS: Australian Inventory of Chemical Substances
 CAS: Chemical Abstract Services
 CSA: Canadian Standards Association
 EC50: Effective Concentration 50%
 EINECS: European Inventory of Existing Commercial chemical Substances
 ENCS: Existing and New Chemical Substances
 HSDB: Hazardous Substances Data Bank
 IARC: International Agency for Research on Cancer
 IBC: Intermediate Bulk Container
 IECSC: Inventory of Existing Chemical Substances
 IMDG: International Maritime Dangerous Goods
 IOC: Inventory of Chemicals
 KECI: Korean Existing Chemicals Inventory
 KECL: Korean Existing Chemicals List
 LC: Lethal Concentration
 LD: Lethal Dose
 N/Ap: Not Applicable
 N/Av: Not Available
 NIOSH: National Institute of Occupational Safety and Health
 NOEC: No observable effect concentration
 NTP: National Toxicology Program
 OECD: Organisation for Economic Co-operation and Development
 OSHA: Occupational Safety and Health Administration
 PEL: Permissible exposure limit
 PICCS: Philippine Inventory of Chemicals and Chemical Substances
 RTECS: Registry of Toxic Effects of Chemical Substances
 SDS: Safety Data Sheet
 STEL: Short Term Exposure Limit
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations
 TLV: Threshold Limit Values
 TSCA: Toxic Substance Control Act
 TWA: Time Weighted Average
 WHMIS: Workplace Hazardous Materials Identification System

References

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2018.
 2. International Agency for Research on Cancer Monographs, searched 2019.
 3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2019 (Chempendium, HSDB and RTECs).
 4. Material Safety Data Sheets from manufacturer.
 5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2019.

Preparation Date (mm/dd/yyyy)

: 11/23/2018

SAFETY DATA SHEET

Reviewed Date SDS (dd/mm/yyyy) : 03/19/2020

Revision No. : 5

Revision Information : Contact information update.

Other special considerations for handling : Provide adequate information, instruction and training for operators.

| | |
|---|--|
| <p>Prepared for: Blumenthal Brands Integrated, LLC 600 Radiator Road Indian Trail, NC 28079 Customer Service: (704) 821-7643 Please direct all inquiries to Blumenthal Brands Integrated, LLC</p> | |
| <p>Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p> |  |

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Blumenthal Brands Integrated, LLC and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Blumenthal Brands Integrated, LLC expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Blumenthal Brands Integrated, LLC.

END OF DOCUMENT